







Kullanma kilavuzu
59 4879
(FR,AR)

1) 16 5552




35 4598






35 8293 35 8292



35 4785




35 3095



1) 44 1138

2) 35 4780



Pos.	Matsushita		
	DB91C21		
1	14 3679		
2	16 3427		
3	35 4583		
4	17 1318		
5	49 4670		
6	17 1519		
7	18 1014		
8	17 4093		
9	42 7127		
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER			
Verdichter/Compressor/Kompresör		Matsushita	
Typ/Type/Tip		DB91C21	
Förderleistung/Delivery/Verim/h			
Anlaufstrom/Starting current/Giris akimi		A	
Widerstand/Resistance/Rezistans Ha/		Ohm	
Hi/aux.			
Temp.Reyler/Thermostat/Termostat		Danfoss	
Typ/Type/Tip			
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actua kapama degerleri		..ein/acma °C	+3.5 +3.5
Valeurs de commutation/Termostat degeri		..aus"/kapama	-31 -20
(..abtaven' od)		..alarm'	
Füllmenge/Fill. quantity/ Dolum miktarı		R600a	g
Anschlusswert/Comm. load/Giris gucu		W	*
Heizung/Heater/Rezistans			
Widerstand/Resistance/Direnc		Ohm	
Leistung/Power/Guc		W	
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans		Ohm	
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans		Ohm	
Spannung/Voltage/Gerilim		V	
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız