






Kullanma kilavuzu
 59 1293
 (TR)

- 1) 16 5552
- 2) 42 4801
 V01,V02,V03,V04
 42 8184
 V05,V06
- 3) 18 2415
 V01,V02,V03,V04
 V05
 42 9409
 V06
- 4) 17 9431
 V01,V02,V03,V04
 V05
 42 9410
 V06



- 1) 35 4789
- 2) 17 1321
- 3) 35 4780



Pos.	V01,V04	V02,V03	
	Danfoss	Aspera	
	NLE15 KTK2	NBM1119Y	
1	14 2207	14 3989	
2	16 5570	42 5966	
3	16 3427		
4	35 4583		
5	17 1318		
6	49 1201	49 1138	
7	17 1519		
8	18 1014		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER

	V01,V04	V02,V03	
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.	Danfoss NLE15KTK2	Aspera NBM1119Y	
Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actua kapama degerleri Valeurs de commutation/Termostat degeri (..abtaven' od)	Danfoss +4.5 +4.5 -31 -18	Danfoss +4.5 +4.5 -31 -18	
Füllmenge/Fill. quantily/ Dolum miktarı	R600a	g	*
Anschlusswert/Comm. load/Giris gucu	W	*	
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ω W		
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ω		
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ω V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakiniz