






Kullanma kilavuzu
52 9449

- 1) 17 1312
2) 17 1304
3) 36 3137
4) 48 2032
V01,V02
48 4350
V03,V04,V05,V06
V07,V08
48 9131
V09
5) 16 5552
6) 36 3135
7) 18 8197
V01,V02,V03,V04
V05,V06,V07,V08
41 8128
V09
8) 36 3154
V01
36 6902
V02,V03,V04,V05,
V06,V07,V08,V09
9) 17 1508



- 1) 48 0523
- 2) 48 0522
- 3) 26 9013
- 4) 16 6484
- 5) 35 4789
- 6) 36 0844
- 7) 36 0840
- 8) 17 1319
- 9) 35 5835
- 10) 36 3145
- 11) 21 6844
- V01,V02,V03,V04
- V05,V06,V07
- 21 8857
- V08,V09
- 12) 23 6374
- V01,V02,V03,V04
- V05,V06,V07
- 23 8423
- V08,V09



Pos.		V08, V09	
	Danfoss NLE15KTK		
1	14 2175		
2	41 6399	17 4093	
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9	16 5570		
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER				
Verdichter/Compressor/Kompresör		Danfoss NLE15KTK		
Typ/Type/Tip				
Förderleistung/Delivery/Verim/h				
Anlaufstrom/Starting current/Giris akimi		A		
Widerstand/Resistance/Rezistans Ha/		Ω		
Hi/aux.				
Temp.Reyler/Thermostat/Termostat		Elektronisch		
Typ/Type/Tip				
Reglerstellung/Position/Termostat pozisyonu				
Schaltwerte/Acma kapama degerleri		..ein/acma °C		
Valeurs de commutation/Termostat degeri		..aus"/kapama		
(..abtaven' od)		..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı		R600a	g	60
Anschlusswert/Comm. load/Giris gucu		W	215	
Heizung/Heater/Rezistans		Verdampfer	Ablaufrinne	Klappe
Widerstand/Resistance/Direnc		Ω		
Leistung/Power/Guc		W	267	81
Ventilador/Blower/Vantilatör				
Widerstand/Resistance/Rezistans		Ω		
Magnetventil/Magnetic valve/Manyetik valf				
Widerstand/Resistance/Rezistans		Ω		
Spannung/Voltage/Gerilim		V		
Temp.Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakiniz