






Kullanma kilavuzu
52 9449

- 1) 17 1312
- 2) 17 1304
- 3) 36 3138
- 4) 48 9131
- 5) 16 5552
- 6) 36 9509
- 7) 41 8128
- 8) 36 6903
- 9) 17 1508
- 10) 36 6310
- V01
- 43 2556
- V02
- 11) 36 3121
- V01
- 43 2919
- V02



- 1) 48 0523
- 2) 48 0522
- 3) 26 9013
- 4) 16 6484
- 5) 36 0844
- 6) 35 5835
- 7) 36 0840
- 8) 35 4789
- 9) 17 1319
- 10) 21 8856
- 11) 23 8423



Pos.	Danfoss		
	NLE15KTK		
1	14 2175		
2	17 4093		
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER				
Verdichter/Compressor/Kompresör		Danfoss		
Typ/Type/Tip		NLE15KTK		
Förderleistung/Delivery/Verim/h				
Anlaufstrom/Starting current/Giris akimi		A	12.8	
Widerstand/Resistance/Rezistans Ha/		Ω	8.9	
Hi/aux.			12	
Temp.Reyler/Thermostat/Termostat				
Typ/Type/Tip				
Reglerstellung/Position/Termostat pozisyonu				
Schaltwerte/Actua kapama degerleri		..ein/acma °C		
Valeurs de commutation/Termostat degeri		..aus"/kapama		
(..abtaven' od)		..alarm'		
Füllmenge/Fill. quantily/ Dolum miktari		R600a	g	*
Anschlusswert/Comm. load/Giris gucu		W	200	
Heizung/Heater/Rezistans		Ω	Verdampfer	AAblaufrinne
Widerstand/Resistance/Direnc		W	186	B1
Leistung/Power/Guc				Klappe
Ventilador/Blower/Vantilatör		Ω		
Widerstand/Resistance/Rezistans				
Magnetventil/Magnetic valve/Manyetik valf		Ω		
Widerstand/Resistance/Rezistans		V		
Spannung/Voltage/Gerilim				
Temp.Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakiniz