






Kullanma kilavuzu

- 52 9449
1) 17 1312
2) 17 1304
3) 36 3137
V01,V02,V03,V04
V05
36 9815
V06
4) 48 2032
V01,V02
48 4350
V03,V04,V05,V06
5) 17 3866
6) 36 3135
V01,V02,V03,V04
V05
36 9905
V06
7) 18 8198
8) 36 3154
V01
36 6902
V02,V03,V04,V05
V06
9) 17 1508
10) 36 3141
V01,V02,V03,V04
V05
36 9816
V06



- 1) 17 3862
- 2) 17 3856
- 3) 26 9013
- 4) 21 6837
- 5) 17 3849
- 6) 17 3850
- 7) 17 3880
- 8) 48 0522
- 9) 48 0523
- 10) 36 3145



Pos.	Danfoss		
	NLE15KTK		
1	14 2175		
2	18 4389		
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9	41 6399		
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER				
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.		Danfoss NLE15KTK 8		
Temp. Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actma kapama degerleri Valeurs de commutation/Termostat degeri (...abtaven' od)		Elektronisch ..ein/acma °C ..aus"/kapama ..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R600a	g	60	
Anschlusswert/Comm. load/Giris gucu	W	215		
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ω W	Verdampfer 267	Ablaufrinne 81	Klappe 4
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ω			
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ω V			
Temp. Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakınız