




## Kullanma kilavuzu

52 8919

(TR)

Birleştirme seti

23 6591

- 1) 18 3821

- 2) 18 3822

- 3) 36 2472

- 4) 17 2595

- 5) 18 3820

- 6) 36 7363

- 6) 00 1 000



- 7) 48 1672

- V01.V02


- 10.00000

- 42 0336

- V03



- 1) 36 2473  
V01  
43 1043  
V02,V03
- 2) 36 2522
- 3) 36 2474  
V01  
43 1044  
V02,V03



|      | V01,V02  | V03       |  |
|------|----------|-----------|--|
|      | Danfoss  | Danfoss   |  |
| Pos. | NLE15KTK | NLE15KTK2 |  |
| 1    | 14 2175  | 14 2207   |  |
| 2    | 17 1519  |           |  |
| 3    | 35 4158  |           |  |
| 4    | 16 5570  |           |  |
| 5    | 16 3427  |           |  |
| 6    | 18 1014  |           |  |
| 7    | 17 1318  |           |  |
| 8    |          |           |  |
| 9    |          |           |  |
| 10   |          |           |  |
| 11   |          |           |  |
| 12   |          |           |  |

| TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER |          |           |               |
|-------------------------------------------------|----------|-----------|---------------|
|                                                 | V01,V02  | V03       |               |
| Verdichter/Compressor/Kompresör                 | Danfoss  | Danfoss   |               |
| Typ/Type/Tip                                    | NLE15KTK | NLE15KTK2 |               |
| Förderleistung/Delivery/Verim/h                 |          |           |               |
| Anlaufstrom/Starting current/Giris akimi        | 12.8     |           | A             |
| Widerstand/Resistance/Rezistans Ha/             | 8.9      |           | Ω             |
| Hi/aux.                                         | 12       |           |               |
| Temp.Reyler/Thermostat/Termostat                |          |           |               |
| Typ/Type/Tip                                    |          |           |               |
| Reglerstellung/Position/Termostat pozisyonu     |          |           |               |
| Schaltwerte/Actua kapama degerleri              |          |           | ..ein/acma °C |
| Valeurs de commutation/Termostat degeri         |          |           | ..aus"/kapama |
| (..abtaven' od)                                 |          |           | ..alarm'      |
| Füllmenge/Fill. quantily/ Dolum miktarı         | R600     | g         | *             |
| Anschlusswert/Comm. load/Giris gucu             | W        |           |               |
| Heizung/Heater/Rezistans                        |          |           |               |
| Widerstand/Resistance/Direnc                    | Ω        |           |               |
| Leistung/Power/Guc                              | W        |           |               |
| Ventilador/Blower/Vantilatör                    |          |           |               |
| Widerstand/Resistance/Rezistans                 | Ω        |           |               |
| Magnetventil/Magnetic valve/Manyetik valf       |          |           |               |
| Widerstand/Resistance/Rezistans                 | Ω        |           |               |
| Spannung/Voltage/Gerilim                        | V        |           |               |
| Temp.Reyler/Thermostat/Termostat                |          |           |               |

\* Siehe Typenschild/Mamul etiketine bakınız